

Contents

Click on the links below or tabs on the right to quickly compare features and functionalities of HP Commercial Displays by size.



Commercial Display Overview

HP Direct Mount for HP Displays

Positioning the Portfolio

HP Displays 14 – 19-inch

HP Displays 20-inch

HP Displays 21.5-inch

HP Displays 23-inch

HP Displays 23.6 – 23.8-inch

HP Displays 24-inch

HP Displays 27-inch

HP Displays 30 – 55-inch

Resources

HP Commercial Monitors

Productivity and performance in clear view





An epic story in the making

From award-winning HP DreamColor technology and 4K resolution to certified for Skype for Business® and ergonomic features, HP Monitors are designed to provide a superb experience to fit your unique work style and fit any budget. HP Commercial Displays are created to seamlessly connect to your HP PC, notebook or mobile devices, so you can start creating your story.

Design

Start your next chapter with monitors designed for the ultimate user experience:

- Industry-leading ergonomics
- HP Mini PC direct mount solutions
- Factory color calibration
- High resolution and wide angle viewing
- Large screen sizes
- Ultimate portability
- Virtual reality 3D viewing
- Immersive curved experiences
- Sleek, narrow bezel designs
- Advanced connectivity
- HP quality and reliability

Collaboration

Connect and share your work with collaboration solutions that help you accomplish more together:

- Certified for Skype for Business® displays*
- Premium speakers and microphone*
- Collaboration-optimized HD webcam*
- Call-control hot keys on the bezel*

*All above features available on select models only.



HP Direct Mount for HP Displays

The formula for the ideal work station

HP Displays

 E223
 Z22n G2

 E233
 Z23n G2

 E243
 Z24i G2

 E243m
 Z24nf G2

 E273m
 Z24n G2

 E273
 Z27

 E273q
 Z27n G2

 E243i

HP B300 PC Mounting Bracket 2DW53AA



Choose your hardware

Desktop Mini Chromebox Thin Client Workstation



Create the perfect space

Z31x Z38c Z32 Z43

HP Displays







HP Displays

E202 E272q
E222 VH22
E232 VH240a
E230t Z27n
E242 HC240
E242e HC270











HP Displays

P203 P240va P223 V197 P223a V243 P232 V214a



HP Quick Release EM870AA









*See product QuickSpecs for exact device compatibility.



Positioning the Portfolio

HP Commercial Display features and benefits



Z Display

Style & Creative Power

Built for the mission critical user experience

- Award-winning HP DreamColor technology*
- Ultra High Definition 4K resolution*
- Tested durability for mission critical projects
- Innovative design and immersive curved display*



EliteDisplay S-Series

Style & Business Power

Delivering the newest technologies and design trends for the modern and mobile workforce

- Premium designs
- Office of the future technology
- Curved monitor for an immersive experience*
- Portable and docking monitors for on-the-go
- USB-C[™] connectivity with power delivery^{*}



EliteDisplay E-Series

Business Power

Style meets substance for optimal viewing, productivity, and ergonomics

- Modern and stylish business displays
- Industry-leading ergonomic adjustable design
- Leading environmental certifications
- Efficient workspaces by attaching an HP Mini to the back
- Next-generation connectivity



ProDisplay

Business Basic

Affordable, energy efficient monitors for growing success

- Everyday productivity
- Environmental efficiency and reduced power consumption
- Stable, reliable offering, legendary quality
- Efficient workspaces by attaching an HP Mini to the back



HP Value

Simple Efficiency

Best-priced monitors from a trusted brand

- Basic productivity and value-focused solution
- Attractive price with trusted quality

*All above features available on select models only



14 – 19-inch

Diagonal¹









	S140u	P17A	V197	E190i
SKU	G8R65AA	F4M97AA	V5J61AA	E4U30AA
Size	14-inch	17-inch	18.5-inch	18.9-inch
Type/Aspect Ratio	TN 16:9	TN 5:4	TN 16:9	IPS 5:4
Resolution	1600 x 900	1280 x 1024	1366 x 768	1280 x 1024
Brightness	200 nits	250 nits	200 nits	250 nits
Static Contrast Ratio	400:1	1000:1	600:1	1000:1
Response Time ²	8ms	5ms	5ms	8ms
Connectivity	1 USB 3.0	VGA	DVI VGA	DP DVI VGA
Power Supply	USB	Internal	Internal	Internal
USB HUB				2 USB 2.0
VESA Mount		100x100mm	100x100mm	100x100mm
Stand	Convertible cover	Tilt	Tilt	Height, Tilt, Swivel, Pivot
Speakers				
Additional Features	Portable			
Price				

20-inch Diagonal¹







	E202	P203	V214a
SKU	M1F41AA	X7R53AA	1FR84AA
Size	20-inch	20-inch	20.7-inch
Type/Aspect Ratio	IPS 16:9	TN 16:9	TN 16:9
Resolution	1600 x 900	1600 x 900	1920 x 1080
Brightness	250 nits	250 nits	200 nits
Static Contrast Ratio	1000:1	1000:1	600:1
Response Time ²	7ms	5ms	5ms
Connectivity	DP HDMI VGA	DP VGA	HDMI VGA
Power Supply	Internal	Internal	Internal
USB HUB	3 USB 2.0		
VESA Mount	100x100mm	100x100mm	100x100mm
Stand	Height, Tilt, Swivel, Pivot	Tilt	Tilt
Speakers			1 Watt/Channel
Additional Features			
Price			

21.5-inch











	N220	VH22	P223	P223a
SKU	Y6P09AA	X0N05AA	X7R61AA	X7R62AA
Size	21.5-inch	21.5-inch	21.5-inch	21.5-inch
Type/Aspect Ratio	IPS 16:9	TN 16:9	VA 16:9	VA 16:9
Resolution	1920 × 1080	1920 x 1080	1920 x 1080	1920 x 1080
Brightness	250 nits	250 nits	250 nits	250 nits
Static Contrast Ratio	1000: 1	1000:1	3000:1	3000:1
Response Time ²	5ms	5ms	5ms	5ms
Connectivity	VGA HDMI	DP DVI VGA	DP VGA	DP VGA
Power Supply	External	Internal	Internal	Internal
USB HUB				
VESA Mount		100x100mm	100x100mm	100x100mm
Stand	Tilt	Height, Tilt, Swivel, Pivot	Tilt	Tilt
Speakers				1 Watt/Channel
Additional Features				
Price				







21.5-inch





Price







	E223	E222	Z22n G2
SKU	1FH45AA	M1N96AA	1JS05AA
Size	21.5-inch	21.5-inch	21.5-inch
Type/Aspect Ratio	IPS 16:9	IPS 16:9	IPS 16:9
Resolution	1920 x 1080	1920 x 1080	1920 x 1080
Brightness	250 nits	250 nits	250 nits
Static Contrast Ratio	1000:1	1000:1	1000:1
Response Time ²	5ms	7ms	5ms
Connectivity	DP HDMI VGA	DP HDMI VGA	DP HDMI VGA
Power Supply	Internal	Internal	Internal
USB HUB	2 USB 3.0	3 USB 2.0	2 USB 3.0
VESA Mount	100x100mm	100x100mm	100x100mm
Stand	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot
Speakers			
Additional Features	3-sided micro-edge		3-sided micro-edge, Factory Color Calibrated







23-inch



Diagonal







	P232	E232	E233
SKU	K7X31AA	M1N98AA	1FH46AA
Size	23-inch	23-inch	23-inch
Type/Aspect Ratio	TN 16:9	IPS 16:9	IPS 16:9
Resolution	1920 x 1080	1920 x 1080	1920 x 1080
Brightness	250 nits	250 nits	250 nits
Static Contrast Ratio	1000:1	1000:1	1000:1
Response Time ²	5ms	7ms	5ms
Connectivity	DP VGA	DP HDMI VGA	DP HDMI VGA
Power Supply	Internal	Internal	Internal
USB HUB		3 USB 2.0	2 USB 3.0
VESA Mount	100x100mm	100x100mm	100x100mm
Stand	Tilt	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot
Speakers			
Additional Features			3-sided micro-edge
Price			





23-inch

Price









	S231d	E230t	Z23n G2
SKU	F3J72AA	W2Z50AA	1JS06AA
Size	23-inch	23-inch	23-inch
Type/Aspect Ratio	IPS 16:9	IPS 16:9	IPS 16:9
Resolution	1920 x 1080	1920 x 1080	1920 x 1080
Brightness	250 nits	250 nits	250 nits
Static Contrast Ratio	1000:1	1000:1	1000:1
Response Time ²	5ms	5ms	5ms
Connectivity	USB 3.0 DP VGA	DP HDMI VGA	DP HDMI VGA
Power Supply	External	Internal	Internal
USB HUB	2 USB 2.0, 2 USB 3.0	3 USB 3.0	2 USB 3.0
VESA Mount	100x100mm	100x100mm	100x100mm
Stand	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot
Speakers			
Additional Features	Webcam, Docking	Touch 10pt	3-sided micro-edge, Factory Color Calibrated







Diagonal









	N240	S240uj	P240va	E243m
SKU	Y6P10AA	T7B66AA	N3H14AA	1FH48AA
Size	23.8-inch	23.8-inch	23.8-inch	23.8-inch
Type/Aspect Ratio	IPS 16:9	QHD IPS 16:9	VA 16:9	IPS 16:9
Resolution	1920 x 1080	2560 x 1440	1920 x 1080	1920 x 1080
Brightness	250 nits	300 nits	250 nits	250 nits
Static Contrast Ratio	1000: 1	1000:1	3000:1	1000:1
Response Time ²	5ms	5ms	8ms	5ms
Connectivity	VGA HDMI	USB-C™ DP HDMI/MHL	DP HDMI VGA	DP HDMI VGA
Power Supply	External	External	Internal	Internal
USB HUB		3 USB 3.0	3 USB 3.0	2 USB 3.0
VESA Mount		100x100mm	100x100mm	100x100mm
Stand	Tilt	Tilt	Tilt	Height, Tilt, Swivel, Pivot
Speakers		Audio by Bang & Olufsen		
Additional Features		Wireless charging base		3-sided micro-edge, Skype for Business®certified, Webcam

See more 23.6 to 23.8-inch displays







23.6-23.8-inch

Diagonal









	E243	VH240a	Z24nf G2	Zvr
SKU	1FH47AA	1KL30AA	1JS07AA	K5H59AA
Size	23.8-inch	23.8-inch	23.8-inch	23.6-inch
Type/Aspect Ratio	IPS 16:9	IPS 16:9	IPS 16:9	TN 16:9
Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Brightness	250 nits	250 nits	250 nits	200 nits
Static Contrast Ratio	1000:1	1000:1	1000:1	1000:1
Response Time ²	5ms	5ms	5ms	5.6ms
Connectivity	DP HDMI VGA	HDMI VGA	DP HDMI VGA	DP DVI
Power Supply	Internal	External	Internal	External
USB HUB	2 USB 3.0		2 USB 3.0	USB 2.0
VESA Mount	100x100mm		100x100mm	100x100mm
Stand	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt
Speakers		2 Watts/Channel		
Additional Features	3-sided micro-edge		3-sided micro-edge, Factory Color Calibrated	Virtual Reality Display

See more 23.6 to 23.8-inch displays







1 2

24-inch











	E242	HC240	Z24n G2	Z24x G2
SKU	M1P02AA	ZOA71AA	1JS09AA	1JR59AA
Size	24-inch	24-inch	24-inch	24-inch
Type/Aspect Ratio	IPS 16:10	IPS 16:10	IPS 16:10	IPS 16:10
Resolution	1920 x 1200	1920 x 1200	1920 x 1200	1920 x 1200
Brightness	250 nits	300 nits	300 nits	350 nits
Static Contrast Ratio	1000:1	1000:1	1000:1	1000:1
Response Time ²	7ms	8ms	5.8ms	6ms
Connectivity	DP HDMI VGA	DP Mini-DP DP Out HDMI/MHL DVI	USB-C™ DP HDMI DVI	DP HDMI DVI
Power Supply	Internal	Internal	Internal	Internal
USB HUB	3 USB 2.0	4 USB 3.0	3 USB 3.0	4 USB 3.0
VESA Mount	100x100mm	100x100mm	100x100mm	100x100mm
Stand	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot
Speakers				
Additional Features		Healthcare Edition Display	3-sided micro-edge, Factory Color Calibrated	HP DreamColor, Factory Color Calibrated







1 2

24-inch









	E242e	E243i	V243	Z24i G2
SKU	N3C01AA	1FH49AA	V5J53AA	1JS08AA
Size	24-inch	24-inch	24-inch	24-inch
Type/Aspect Ratio	IPS 16:10	IPS 16:10	TN 16:9	IPS 16:10
Resolution	1920 x 1200	1920 x 1200	1920 x 1080	1920 x 1200
Brightness	250 nits	300 nits	250 nits	300 nits
Static Contrast Ratio	1000:1	1000:1	1000:1	1000:1
Response Time ²	7ms	5ms	5ms	5ms
Connectivity	DP HDMI VGA	DP HDMI VGA	DVI VGA	DP HDMI VGA
Power Supply	Internal	Internal	Internal	Internal
USB HUB	3 USB 2.0	2 USB 3.0		2 USB 3.0
VESA Mount	100x100mm	100x100mm	100x100mm	100x100mm
Stand	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Tilt	Height, Tilt, Swivel, Pivot
Speakers				
Additional Features		3-sided micro-edge		3-sided micro-edge, Factory Color Calibrated







1 2 3

27-inch





	S270n	VH27	Z27	Z27n G2	Z27x G2
SKU	2PD37A	2KZ36A	2TB68A4	2NJ08A4	2NJ08A4
Size	27-inch	27-inch	27-inch	27-inch	27-inch
Type/Aspect Ratio	IPS 16:9	IPS 16:9	IPS 16:9	IPS 16:9	IPS 16:9
Resolution	3840 x 2160	1920 x 1080	3840 x 2160	2560 × 1440	2560 × 1440
Brightness	350 nits	250 nits	350 nits	250 nits	250 nits
Static Contrast Ratio	1300:1	1000:1	1300: 1	1500: 1	1500: 1
Response Time ²	5.4ms	5ms	8ms	10ms	10ms
Connectivity	USB-C™ DP HDMI	DP HDMI VGA	USB-C™ DP HDMI Mini-DP	USB-C™ DP HDMI	USB-C™ DP HDMI
Power Supply	External	Internal	Internal	Internal	Internal
USB HUB			3 USB 3.0	4 USB 3.0	4 USB 3.0
VESA Mount	Yes, with adapter	100x100mm	100x100mm	100x100mm	100x100mm
Stand	Height, Tilt	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel	Height, Tilt, Swivel
Speakers					
Additional Features	4K UHD, 3-sided micro-edge	TAA Compliant	4K UHD	HP DreamColor Studio	HP DreamColor Studio
Price					









1 2 3

27-inch











	E272q	HC270	E273	E273m
SKU	M1P04AA	Z0A73AA	1FH50AA	1FH51AA
Size	27-inch	27-inch	27-inch	27-inch
Type/Aspect Ratio	IPS 16:9	IPS 16:9	IPS 16:9	IPS 16:9
Resolution	2560 x 1440	2560 x 1440	1920 x 1080	1920 x 1080
Brightness	350 nits	350 nits	250 nits	250 nits
Static Contrast Ratio	1000:1	1000:1	1000:1	1000:1
Response Time ²	7ms	14ms	5ms	5ms
Connectivity	DP HDMI VGA	DP Mini-DP DP Out HDMI/MHL DVI	DP HDMI VGA	USB-C™ DP HDMI VGA
Power Supply	Internal	Internal	Internal	Internal
JSB HUB	3 USB 2.0	4 USB 3.0	2 USB 3.0	2 USB 3.0
VESA Mount	100x100mm	100x100mm	100x100mm	100x100mm
Stand	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot
Speakers				
Additional Features	QHD	Healthcare Edition Display	3-sided micro-edge	3-sided micro-edge, Skype for Business [®] certified, Webcam









1 2 3

27-inch







	E273q	Z27s	Z27x
SKU	1FH52AA	J3G07AA	D7R00AA
Size	27-inch	27-inch	27-inch
Type/Aspect Ratio	IPS 16:9	IPS 16:9	IPS 16:9
Resolution	2560 x 1440	3840 x 2160	2560 x 1440
Brightness	350 nits	300 nits	250 nits
Static Contrast Ratio	1000:1	1000:1	800:1
Response Time ²	5ms	6ms	7ms
Connectivity	USB-C™ DP HDMI VGA	DP Mini-DP HDMI/MHL	DP HDMI
Power Supply	Internal	Internal	Internal
USB HUB	2 USB 3.0	4 USB 3.0	4 USB 3.0, 2 USB 2.0
VESA Mount	100x100mm	100x100mm	100x100mm
Stand	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot	Height, Tilt, Swivel, Pivot
Speakers			
Additional Features	3-sided micro-edge	Factory Color Calibrated	HP DreamColor Studio, Factory Color Calibrated









1 2

Diagonal¹







	Z31x	Z32	S340c
SKU	Z4Y82A	1AA81A	V4G46AA
Size	31.1-inch	31.5-inch	34-inch
Type/Aspect Ratio	Real IPS 17:9	IPS 16:9	VA 21:9
Resolution	4096 x 2160	3840 × 2160	3440 x 1440
Brightness	250 nits	350 nits	300 nits
Static Contrast Ratio	1500:1	1300: 1	3000:1
Response Time ²	8.5ms	14ms	6.1ms
Connectivity	USB-C™ DP HDMI	USB-C™ DP Mini-DP HDMI	USB-C™ DP HDMI
Power Supply	Internal	Internal	External
USB HUB	4 USB 3.0	3 USB 3.0	3 USB 3.0
VESA Mount	100×100mm	100x100mm	100x100mm
Stand	Height, Tilt, Swivel	Height, Tilt, Swivel	Tilt
Speakers			
Additional Features	HP DreamColor Studio	4K UHD, Factory Color Calibrated	Curved Display
Price			

¹ Power delivery up to 60 Watts.





HP Direct Mount

30 – 55-inch









	Z38c	Z43	LD5511	LD5512
SKU	Z4W65AA	1AA85A4	T5X84AA	2YD85AA
Size	37.5-inch	42.5-inch	55-inch	55-inch
Type/Aspect Ratio	IPS 21:9	IPS 16:9	WVA 16:9	ADS 16:9
Resolution	3840 x 1600	3840 x 2160	1920 x 1080	3840 x 2160
Brightness	300 nits	350 nits	350 nits	350 nits
Static Contrast Ratio	1000:1	1000: 1	3000:1	1200:1
Response Time ²	5ms	5ms	7ms	8ms
Connectivity	USB-C™ DP HDMI	USB-C™ DP Mini-DP HDMI	HDMI DVI VGA + Remote Control	DP HDMI VGA
Power Supply	Internal	Internal	Internal	Internal
USB HUB	3 USB 3.0	3 USB 3.0		
VESA Mount	100x100mm	100x100mm	400mm	400x200mm
Stand	Height, Tilt, Swivel	Tilt, Swivel	Stand sold separately	
Speakers			Media Player + Speakers	Speakers
Additional Features	Curved Display, Factory Color Calibrated	4K UHD, Factory Color Calibrated	Remote Control	Remote Control
Price				







Resources

HP Accessories & Displays Catalog	www.hp.com/go/accessoriescatalog
HP Product Videos	HP Videos
	https://www.youtube.com/results?search_query=HP+displays
	HP EliteDisplay E-Series Product Video
	HP Z Displays Product Video
	HP Z38c Product Video
HP Direct Mount Videos	Mounting Video of DM, Module and IWC
The birect Mount videos	Mounting Video of DM on back DM IWC
	Mounting Video HP Desktop Mini and Elite Display Mounting Bracket
	Mounting Video of DM and HP Single Monitor Arm
HP Sales Central	https://www.hpsalescentral.com/#/
EcoSystem Cards	http://www8.hp.com/h20195/V2/GetDocument.aspx?docname=c05523395

Contact your HP Representative for more information.

¹All sizes are diagonally measured.

²All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

 $2018\,\mbox{HP}$ Confidential. For HP and Channel Partner training purposes only.

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Skype is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. USB-C is a trademark of the USB Implementers Forum.

